



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

U.S. APPLICATION NUMBER NO.	FIRST NAMED APPLICANT	ATTY. DOCKET NO.
10/581,472	Bruno Philippe Angelo Cammue	065435-9071-US00

INTERNATIONAL APPLICATION NO.	
PCT/GB04/05058	
I.A. FILING DATE	PRIORITY DATE

23510
 MICHAEL BEST & FRIEDRICH, LLP
 ONE SOUTH PINCKNEY STREET
 P O BOX 1806
 MADISON, WI 53701

**CONFIRMATION NO. 2005
 371 FORMALITIES LETTER**



OC000000024439815

Date Mailed: 06/20/2007

NOTIFICATION OF DEFECTIVE RESPONSE

The following items have been submitted by the applicant or the IB to the United States Patent and Trademark Office as a Designated / Elected Office (37 CFR 1.495)

- Copy of the International Application filed on 06/01/2006
- Copy of the International Search Report filed on 06/01/2006
- Preliminary Amendments filed on 06/01/2006
- Information Disclosure Statements filed on 06/01/2006
- Biochemical Sequence Diskette filed on 11/02/2006
- Oath or Declaration filed on 11/02/2006
- Biochemical Sequence Listing filed on 06/01/2006
- U.S. Basic National Fees filed on 06/01/2006
- Priority Documents filed on 06/01/2006
- Specification filed on 06/01/2006
- Claims filed on 06/01/2006
- Abstracts filed on 06/01/2006
- Drawings filed on 06/01/2006

Applicant's response filed 11/02/2006 is hereby acknowledged. The following requirements set forth in the NOTIFICATION of MISSING REQUIREMENTS mailed 10/16/2006 have not been completed.

- A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 CFR 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing." Applicant must provide a substitute computer readable form (CRF) copy of the "Sequence Listing" and a statement that the content of the sequence listing information recorded in computer readable form is identical to the written (on paper or compact disc) sequence listing and, where applicable, includes no new matter, as required by 37 CFR 1.821(e), 1.821(f), 1.821(g), 1.825(b), or 1.825(d).

Applicant is required to complete the response within a time limit of ONE MONTH from the date of this Notification or within the time remaining in the response set forth in the Notification of Missing Requirements, whichever is the longer. No extension of this time limit may be granted under 37 CFR 1.136, but the period for response set in the Notification of Missing Requirements may be extended under

37 CFR 1.136(a).

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

For questions regarding compliance to 37 CFR 1.821-1.825 requirements, please contact:

- **For Rules Interpretation, call (571) 272-0951**
- **For Patentin Software Program Help, call Patent EBC at 1-866-217-9197 or directly at 703-305-3028 / 703-308-6845 between the hours of 6 a.m. and 12 midnight, Monday through Friday, EST.**
- **Send e-mail correspondence for Patentin Software Program Help @ ebc@uspto.gov**

Applicant is reminded that any communications to the United States Patent and Trademark Office must be mailed to the address given in the heading and include the U.S. application no. shown above (37 CFR 1.5)

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web.
<https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html>

For more information about EFS-Web please call the USPTO Electronic Business Center at **1-866-217-9197** or visit our website at <http://www.uspto.gov/ebc>.

If you are not using EFS-Web to submit your reply, you must include a copy of this notice.

DEBORAH D WILLIAMS

Telephone: (703) 308-9140 EXT 205

PART 2 - OFFICE COPY

U.S. APPLICATION NUMBER NO.	INTERNATIONAL APPLICATION NO.	ATTY. DOCKET NO.
10/581,472	PCT/GB04/05058	065435-9071-US00